Index to Authors and Contributors 2005

Adibi-Asl, R	Stress intensity factors for radial cracks in annular and solid discs under constant angular velocity	217
Ajovalasit, A	Local reinforcement effect of a strain gauge installation on low modulus materials	643
Akbarov, S D	Dynamical (harmonic) interface stress field in the half-plane covered by the prestretched layer under a strip load	225
Alipour, R	Spot-welded joints subjected to shear-tension loading. Part 2: mixed-mode fracture parameters	755
Ambu, R	Investigation of the effect of damage on the strength of notched composite laminates by digital image correlation	451
Antonaci, P	The pull-out method for on-site estimation of the elastic modulus of concrete	505
Aymerich, F	Investigation of the effect of damage on the strength of notched composite laminates by digital image correlation	451
Banerjee, J R	Strain analysis of a pretwisted elastic cylinder with an arbitrary cross-section	367
Banerjee, S	Acoustic emission waveform simulation in multilayered composites	25
Becker, A A	Use of life and strain fraction rules for creep life prediction of pressurized pipe components undergoing geometry change	385
Bergonnier, S	Digital image correlation used for mechanical tests in crimped glass wool samples	185
Bertolino, F	Investigation of the effect of damage on the strength of notched composite laminates by digital image correlation	451
Biglari, F	Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material	431
Bocca, P	The pull-out method for on-site estimation of the elastic modulus of concrete	505
Bortolamedi, Th	Comparison of the hole-drilling and X-ray diffraction methods for measuring the residual stresses in shot-peened aluminium alloys	199
Brennan, F P	Fatigue life improvement of threaded connections by cold rolling	83
Browne, M	The acoustic emission technique in orthopaedics - a review	59
Bulhak, J	Use of full field of strains found by grating shearography to determine residual stress	621
Burnell, G	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Camilleri, D	Computational prediction of out-of-plane welding distortion and experimental investigation	161
Castagnetti, D	Optimal aspect ratio of interference fits for maximum load transfer capacity	177
Chan, L C	Application of a large-strain analysis technique to the combined fine-blanking and extrusion process	263
Chang, E	Weight function and stress intensity factor for a semi-elliptical surface saddle crack in a tubular welded joint	301
Cherruault, J-Y	Design, testing, and simulation of fibre composite leaf springs for heavy axle loads	497
Ciavarella, M	A numerical algorithm for the solution of two-dimensional rough contact problems	463
Clarke, J	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Clayton, A	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Collini, L	Determination of the relationship between microstructure and constitutive behaviour of nodular cast iron with a unit cell model	107
Comlekci, T	Computational prediction of out-of-plane welding distortion and experimental investigation	161
Costa, J D M	Creep behaviour of adhesive lap joints in thermoplastics composites	287
Das, A	Application of the harmonic balance technique to finite element models of asymmetric rotors via sparse Kronecker products	549
Davidson, J H	Mechanical analysis of streamlined tubes with non-uniform wall thickness for heat exchangers	275
Davies, C M	Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material	431
Davies, T J	End fixity to spiral strands undergoing cyclic bending	129
Dean, D W	Lifetime predictions for high-temperature low-alloy ferritic steel weldments	675
Dean, T A	A numerical and experimental study of cavitation in a hot tensile axisymmetric testpiece	571
Demelio, G	A numerical algorithm for the solution of two-dimensional rough contact problems	463
Dover, W D	Fatigue life improvement of threaded connections by cold rolling	83
Dover, W D	Weight function and stress intensity factor for a semi-elliptical surface saddle crack in a tubular welded joint	301
Dragoni, E	Optimal aspect ratio of interference fits for maximum load transfer capacity	177
Duó, P	The application of asymptotic analysis for modes I and III semi-infinite wedge solutions to a circumferentially notched shaft	255
Embury, J D	Microscopic strain mapping using scanning electron microscopy topography image correlation at large strain	559
Eslami, M R	stress and temperature distribution at layer interface excited by pulsed laser heating	395
Fardad, B	Spot-welded joints subjected to shear-tension loading. Part 1: notch stress and strain range predictions and estimates for repeated loading	739
Farrugia, D C J	A numerical and experimental study of cavitation in a hot tensile axisymmetric testpiece	571

© IMechE 2005

Ferrante, S	Use of automated photoelasticity to determine stress intensity factors of bimaterial joints	785
Ferreira, J A M	Creep behaviour of adhesive lap joints in thermoplastics composites	287
Fitch, J	Strain analysis of a pretwisted elastic cylinder with an arbitrary cross-section	367
Fontanari, V	Comparison of the hole-drilling and X-ray diffraction methods for measuring the residual stresses in shot-peened aluminium alloys	199
Frendo, F	Comparison of the hole-drilling and X-ray diffraction methods for measuring the residual stresses in shot-peened aluminium alloys	199
Gao, X	Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method	513
Gerardo, V	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Gomes, C J	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Goodhall, I W	Lifetime predictions for high-temperature low-alloy ferritic steel weldments	675
Gowhari-Anaraki, A R	Stress intensity factors for radial cracks in annular and solid discs under constant angular velocity	217
Gowhari-Anaraki, A R	Spot-welded joints subjected to shear-tension loading. Part 1: notch stress and strain range predictions and estimates for repeated loading	739
Gowhari-Anaraki, A R	Spot-welded joints subjected to shear-tension loading. Part 2: mixed-mode fracture parameters	755
Gray, T G F	Computational prediction of out-of-plane welding distortion and experimental investigation	161
Gregory, S	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Guler, C	Dynamical (harmonic) interface stress field in the half-plane covered by the prestretched layer under a strip load	225
Hall, F R	Finite element simulation of multipass welding: full three-dimensional versus generalized plane strain or axisymmetric models	587
Hardy, S J	Stress intensity factors for radial cracks in annular and solid discs under constant angular velocity	217
Hardy, S J	Spot-welded joints subjected to shear-tension loading. Part 1: notch stress and strain range predictions and estimates for repeated loading	739
Hardy, S J	Spot-welded joints subjected to shear-tension loading. Part 2: mixed-mode fracture parameters	755
Härkegård, G	Non-linear analysis of shallow cracks in smooth and notched plates. Part 1: analytical evaluation	237
Härkegård, G	Non-linear analysis of shallow cracks in smooth and notched plates. Part 2: finite element validation	245
Hayhurst, D R	Lifetime predictions for high-temperature low-alloy ferritic steel weldments	675
Hayhurst, R J	Lifetime predictions for high-temperature low-alloy ferritic steel weldments	675
Hild, F	Digital image correlation used for mechanical tests in crimped glass wool samples	185
Hills, D A	The application of asymptotic analysis for modes I and III semi-infinite wedge solutions to a circumferentially notched shaft	255
Hobbs, R E	Torque in mooring chain. Part 1: background and theory	703
Hobbs, R E	Torque in mooring chain. Part 2: experimental investigation	715
Honner, M	Simulation of strain gauge thermal effects during residual stress hole drilling measurements	611
Hosseini-Tehrani, P	Stress and temperature distribution at layer interface excited by pulsed laser heating	395
Hou, J	Design, testing, and simulation of fibre composite leaf springs for heavy axle loads	497
Huang, X P	A general autofrettage model of a thick-walled cylinder based on tensile–comprehensive stress–strain curve of material	599
Hyde, T H	Use of life and strain fraction rules for creep life prediction of pressurized pipe components undergoing geometry change	385
Hyde, T H	Approximate prediction methods for multiaxial notch stresses and strains under elastic–plastic and creep conditions	535
Jain, M	Microscopic strain mapping using scanning electron microscopy topography image correlation at large strain	559
Jeronimidis, G	Design, testing, and simulation of fibre composite leaf springs for heavy axle loads	497
Jiang, W	Finite element simulation of multipass welding: full three-dimensional versus generalized plane strain or axisymmetric models	587
Jones, B E	Acoustic emission traceable sensing	17
Jones, I A	An overdetermined phase-stepping strategy for the capture of high-quality photoelastic data	477
Kang, J	Microscopic strain mapping using scanning electron microscopy topography image correlation at large strain	559
Knight, G M S	Three-dimensional finite element analysis of a semi-elliptical circumferential surface crack in a carbon steel pipe subjected to a bending moment	525
Knight, M J	Fatigue life improvement of threaded connections by cold rolling	83
Korsunsky, A M	The application of asymptotic analysis for modes I and III semi-infinite wedge solutions to a circumferentially notched shaft	255
Korsunsky, A M	On the modelling of residual stresses due to surface peening using eigenstrain distributions	817
Lam, P C	Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method	513
Laoui, T	Finite element simulation of multipass welding: full three-dimensional versus generalized plane strain or axisymmetric models	587
Lee, T C	Application of a large-strain analysis technique to the combined fine-blanking and extrusion process	263
Lee, T C	Numerical simulation of the effects of the space-variant blank-holder force and geometrical variables in the deep drawing process	375
Leen, S B	Approximate prediction methods for multiaxial notch stresses and strains under elastic–plastic and creep conditions	535

© IMechE 2005

Leen, S B	Efficient finite element modelling for complex shaft couplings under non-symmetric loading	655
Li, Z	Mechanical analysis of streamlined tubes with non-uniform wall thickness for heat exchangers	275
Ligoria, S A	Three-dimensional finite element analysis of a semi-elliptical circumferential surface crack in a carbon steel pipe subjected to a bending moment	525
Lin, J	A numerical and experimental study of cavitation in a hot tensile axisymmetric testpiece	571
Lito, P	Simulation of strain gauge thermal effects during residual stress hole drilling measurements	611
Liu, Y	A numerical and experimental study of cavitation in a hot tensile axisymmetric testpiece	571
Lu, J	Use of full field of strains found by grating shearography to determine residual stress	621
Mal, A K	Acoustic emission waveform simulation in multilayered composites	25
Mantell, S C	Mechanical analysis of streamlined tubes with non-uniform wall thickness for heat exchangers	275
Mayer, R	Design, testing, and simulation of fibre composite leaf springs for heavy axle loads	497
McColl, I R	Efficient finite element modelling for complex shaft couplings under non-symmetric loading	655
Montay, G	Use of full field of strains found by grating shearography to determine residual stress	621
Morillo, C	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Morris, S	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Murolo, C	A numerical algorithm for the solution of two-dimensional rough contact problems	463
Nandi, A	Application of the harmonic balance technique to finite element models of asymmetric rotors via sparse Kronecker products	549
Neogy, S	Application of the harmonic balance technique to finite element models of asymmetric rotors via sparse Kronecker products	549
Nicoletto, G	Determination of the relationship between microstructure and constitutive behaviour of nodular cast iron with a unit cell model	107
Nikbin, K M	Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material	431
Nowell, D	On the finite element analysis of contacting bodies using submodelling	95
Nowell, D	Improved influence functions for uniform triangular dislocation density functions	729
O'Dowd, N P	Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material	431
Ono, K	Current understanding of mechanisms of acoustic emission	1
Ortega, N F	Form finding of revolution shells by analysing mechanical behaviour by means of the finite element method	775
Pacheco, P M C L	Finite element analysis of the phase transformation effect in residual stresses generated by quenching in notched steel cylinders	151
Papadopoulos, G A	Experimental study of the load distribution in bearings by the method of caustics and the photoelasticity method	357
Paynter, R J H	Improved influence functions for uniform triangular dislocation density functions	729
Pollonais, Y	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Prahash, A	Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method	513
Prakash, R V	Fatigue crack growth at stress concentrators under spectrum loading	117
Qiu, H Y	Reliability-based minimal sample factor formulation for a corrosion damage assessment in aluminium alloy plates	801
Rading, G O	An evaluation of residual stress distribution in welded compact tension specimens using neutron diffraction	211
Rajasekaran, R	On the finite element analysis of contacting bodies using submodelling	95
Ramachandra Murthy, D S	Three-dimensional finite element analysis of a semi-elliptical circumferential surface crack in a carbon steel pipe subjected to a bending moment	525
Ramesh, K	Evaluation of stress field parameters for an interface crack in a bimaterial by digital photoelasticity	327
Raoof, M	End fixity to spiral strands undergoing cyclic bending	129
Ravichandran, M	Evaluation of stress field parameters for an interface crack in a bimaterial by digital photoelasticity	327
Reis, P N B	Creep behaviour of adhesive lap joints in thermoplastics composites	287
Reuben, R L	Recent developments in monitoring of engines using acoustic emission	45
Richardson, M O	Creep behaviour of adhesive lap joints in thermoplastics composites	287
Ridge, I M L	Torque in mooring chain. Part 1: background and theory	703
Ridge, I M L	Torque in mooring chain. Part 2: experimental investigation	715
Robles, S I	Form finding of revolution shells by analysing mechanical behaviour by means of the finite element method	775
Roques, A	The acoustic emission technique in orthopaedics - a review	59
Rörup, J	Mean compressive stresses - experimental and theoretical investigations into their influence on the fatigue strength of welded structures	631
Roux, S	Digital image correlation used for mechanical tests in crimped glass wool samples	185
Rowe, A	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Sabesan, R	Approximate prediction methods for multiaxial notch stresses and strains under elastic–plastic and creep conditions	535
Sabesan, R	Efficient finite element modelling for complex shaft couplings under non-symmetric loading	655
Savi, M A	Finite element analysis of the phase transformation effect in residual stresses generated by quenching in notched steel cylinders	151
Scardi, P	Comparison of the hole-drilling and X-ray diffraction methods for measuring the residual stresses in shot-peened aluminium alloys	199
Shenoi, R A	Reliability-based minimal sample factor formulation for a corrosion damage assessment in aluminium alloy plates	801
Silva, E P	Finite element analysis of the phase transformation effect in residual stresses generated by quenching in notched steel cylinders	151

Sobey, A J	Strain analysis of a pretwisted elastic cylinder with an arbitrary cross-section	367
Srivatsan, T S	Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method	513
Stearns, J	Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method	513
Steel, J A	Recent developments in monitoring of engines using acoustic emission	45
Stephen, N G	How long is a curved beam?	295
Su, H	Strain analysis of a pretwisted elastic cylinder with an arbitrary cross-section	367
Sum, S W	Efficient finite element modelling for complex shaft couplings under non-symmetric loading	655
Sun, W	Use of life and strain fraction rules for creep life prediction of pressurized pipe components undergoing geometry change	385
Surrel, Y	Use of full field of strains found by grating shearography to determine residual stress	621
vanter, M	Simulation of strain gauge thermal effects during residual stress hole drilling measurements	611
Taylor, A	The acoustic emission technique in orthopaedics - a review	59
Troyani, N	Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches	345
Vautrin, A	Use of full field of strains found by grating shearography to determine residual stress	621
Wallwork, A	Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium	139
Wang, L	Numerical simulation of the effects of the space-variant blank-holder force and geometrical variables in the deep drawing process	375
Wang, P	An overdetermined phase-stepping strategy for the capture of high-quality photoelastic data	477
Webster, G A	Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material	431
Wilkinson, D S	Microscopic strain mapping using scanning electron microscopy topography image correlation at large strain	559
Williams, E J	Efficient finite element modelling for complex shaft couplings under non-symmetric loading	655
Wormsen, A	Non-linear analysis of shallow cracks in smooth and notched plates. Part 1: analytical evaluation	237
Wormsen, A	Non-linear analysis of shallow cracks in smooth and notched plates. Part 2: finite element validation	245
Xiangqiao Yan	Microdefect interacting with a finite main crack	421
Xiao Yu	Weight functions fopr *T*-stress for semi-elliptical surface cracks in finite-thickness piates	403
Xin Wang	Weight functions fopr *T*-stress for semi-elliptical surface cracks in finite-thickness plates	403
Xiong, J J	Reliability-based minimal sample factor formulation for a corrosion damage assessment in aluminium alloy plates	801
Yahiaoui, K	Finite element simulation of multipass welding: full three-dimensional versus generalized plane strain or axisymmetric models	587
Yan, T	Acoustic emission traceable sensing	17
Yuyama, S	Acoustic emission for fracture studies using moment tensor analysis	33
Zheng, P F	Application of a large-strain analysis technique to the combined fine-blanking and extrusion process	263
Zuccarello, B	Local reinforcement effect of a strain gauge installation on low modulus materials	643
Zuccarello, B	Use of automated photoelasticity to determine stress intensity factors of bimaterial joints	785

© IMechE 2005

Subject Index 2005

A general autofrettage model of a thick-walled cylinder based on tensile–comprehensive stress–strain curve of material 599
A numerical algorithm for the solution of two-dimensional rough contact problems 463
A numerical and experimental study of cavitation in a hot tensile axisymmetric testpiece 571
Acoustic emission for fracture studies using moment tensor analsis 33
Acoustic emission traceable sensing 17
Acoustic emission waveform simulation in multilayered composites 25
acoustic emission:
  mechanisms of 1
  recent developments in monitoring of engines using 45
acoustic emission technique, in orthopaedics 59
adhesive lap joints in thermoplastic composites, creep behaviour of 287
aluminium alloys, shot-peened, methods for measuring residual stresses in 199
aluminiunm alloy plates, corrosion damage assessment in 801
An evaluation of residual stress distribution in welded compact tension specimens using neutron diffraction 211
An overdetermined phase-stepping strategy for the capture of high-quality photoelastic data 477
Analysis of stress and strain distribution in a vehicle wheel: finite element analysis versus the experimental method 513
annular discs under constant angular velocity, stress intensity factors for radial cracks in 217
Application of a large-strain analysis technique to the combined fine-blanking and extrusion process 263
Application of the harmonic balance technique to finite element models of asymmetric rotors via sparse Kronecker products 549
Approximate prediction methods for multiaxial notch stresses and strains under elastic–plastic and creep conditions 535
aspect ratio, optimal, of interference fits 177
asymmetric rotors, models of 549
asymptotic analysis for modes I and III semi-infinite wedge solutions, application of, to a circumferentially notched shaft 255

bimaterial, evaluation of stress field parameters for an interface crack in 327
bimaterial joints, stress intensity factors of 785

carbon steel pipe subjected to a bending moment, three-dimensional finite element analysis of a semi-elliptical circumferential surface crack in 525
caustics, method of, experimental study of load distribution in bearings by 357
cavitation in a hot tensile axisymmetric testpiece 571
cold rolling, fatigue life improvement of threaded connectiond by 83
compact tension specimens, welded, evaluation of residual stress distribution in 211
Comparison of methods for obtaining crack-tip stress distributions in an elastic–plastic material 431
Comparison of the hole-drilling and X-ray diffraction methods for measuring the residual stresses in shot-peened aluminium alloys 199
Computational prediction of out-of-plane welding distortion and experimental investigation 161
concrete, elastic modulus of, the pull-out mehod for the on-site estimation of 505
crack-tip stress distribution in an elastic - plastic material 431
Creep behaviour of adhesive lap joints in thermoplastics composites 287
creep life prediction, using life and strain fraction rules, of pressurized pipe components undergoing geometry change 385
crimped glass wool samples, mechanical tests in 185
Current understanding of mechanisms of acoustic emission 1
curved beam 295
cyclic bending, end fixity of spiral strands undergoing 129
deep drawing process, numerical simulation of the effects of space-variant blank-holder force and geometrical variables in 375
Design, testing, and simulation of fibre composite leaf springs for heavy axle loads 497
Determination of the relationship between microstructure and constitutive behaviour of nodular cast iron with a unit cell model 107
Digital image correlation used for mechanical tests in crimped glass wool samples 185
digital image correlation, investigation of the effect of damage on the strength of notched composite laminates using 451
digital photoelasticity, evaluation od stress field parameters for an interface crack in a bimaterial by 327
dislocation density functions, triangular
Dynamical (harmonic) interface stress field in the half-plane covered by the prestretched layer under a strip load 225

Efficient finite element modelling for complex shaft couplings under non-symmetric loading 655
eigenstrain distributions, modelling of residual stresses due to surface peening using 817

© IMechE 2005

End fixity to spiral strands undergoing cyclic bending 129
Evaluation of stress field parameters for an interface crack in a bimaterial by digital photoelasticity 327
Experimental study of the load distribution in bearings by the method of caustics and the photoelasticity method 357

Fatigue crack growth at stress concentrators under spectrum loading 117
Fatigue life improvement of threaded connections by cold rolling 83
fatigue strength of welded structures, influence of mean compressive stresses on 631
fibre composite leaf springs for heavy axle loads, design, testing, and simulation of 497
fine blanking and extrusion process, application of large-strain analysis techniques to 263
Finite element analysis of the phase transformation effect in residual stresses generated by quenching in notched steel cylinders 151
finite element analysis:
of contactng bodies using submodelling 95
three dimensional, of a semi-elliptical circumferential surface crack 525
finite element modelling for complex shaft couplings under non-symmetric loading 655
Finite element simulation of multipass welding: full three-dimensional versus generalized plane strain or axisymmetric models 587
Form finding of revolution shells by analysing mechanical behaviour by means of the finite element method 775
fracture studies using moment tensor analysis, acoustic emission for 33

grating shearography, to determine residual stress 621
Growth of surface flaws induced by the environment and machining stresses in unalloyed uranium 139

harmonic balance technique 549
heat exchangers, mechanical analysis of streamlined tubes with non-uniform wall thickness for 275
hole drilling method for measuring residual stresses in shot-peened aluminium alloys 199
How long is a curved beam? 295

Improved influence functions for uniform triangular dislocation density functions 729
interference fits, optimal aspect ratio of 177
Investigation of the effect of damage on the strength of notched composite laminates by digital image correlation 451

Kronecker products, sparse 549

lap joints, adhesive, in thermoplastic composites, creep behaviour of 287
large strain analysis techniques, application of, to the combined fine blanking and extrusion process 263
leaf springs, fibre composite, for heavy axle loads 497
Lifetime predictions for high-temperature low-alloy ferritic steel weldments 675
load distribution in barings, exerimental, study of 357
load transfer capacity, maximum, interference fits for 177
Local reinforcement effect of a strain gauge installation on low modulus materials 643
low-alloy ferritic steel weldments, high temperature, lifetimepredictions for 675

machining stresses in unalloyed uranium 139

Mean compressive stresses – experimental and theoretical investigations into their influence on the fatigue strength of welded structures 631
Mechanical analysis of streamlined tubes with non-uniform wall thickness for heat exchangers 275
Microdefect interacting with a finite main crack 421
Microscopic strain mapping using scanning electron microscopy topography image correlation at large strain 559
modes I and III semi-infinite wedge solutions to a circumferentially notched shaft, applicatiion of asymptotic analysis for 255
moment tensor analysis, fracture studies using 33
mooring chain, torque in 703, 715
multiaxial notch stresses and strains, approximate prediction methods for 535
multilayered composites, acoustic emission waveform simulation in 25
multipass welding, finite element simulation of 587

neutron diffraction, evaluation of residual stress distribution in welded compact tension specimens using 211
nodular cast iron, relationshiop between microstructure and constitutive behaviour 107
Non-linear analysis of shallow cracks in smooth and notched plates. Part 1: analytical evaluation 237
Non-linear analysis of shallow cracks in smooth and notched plates. Part 2: finite element validation 245
notch stresses and strains, multiaxial, under elastic–plastic and creep conditions 535
notched composite laminates, effect of damage on the strength of 451
notched steel cylinders, residual stresses geneerated by quenching in 151
Numerical simulation of the effects of the space-variant blank-holder force and geometrical variables in the deep drawing process 375

On the finite element analysis of contacting bodies using submodelling 95
On the modelling of residual stresses due to surface peening using eigenstrain distributions 817

 © IMechE 2005

Optimal aspect ratio of interference fits for maximum load transfer capacity 177
out-of-plane welding distortion, computational prediction of 161

phase transformation effect, finite element analysis of 151
photoelastic data, high quality, an overdeteermined phase-stepping strategy for the capture of 477
photoelasticity, automated, to determine stress intensity factors of bimaterial joints 785
photoelasticity method, experimental study of load distribution in bearings by 357
pressurized pipe components undergoing geometry change, creep life prediction of, using life and strain fraction rules 385
pre-twisted elastic cylinder, strain analysis of 367

quenching, residual stresses generated by 151

radial cracks in annular and solid discs under constant angular velocity, stress intensity factors for 217
Recent developments in monitoring of engines using acoustic emission 45
Reliability-based minimal sample factor formulation for a corrosion damage assessment in aluminium alloy plates 801
residual stress, use of full field strains to determine 621
residual stress distribution, evaluation of, in welded compact tension specimens 211
resiodual stresses:
  due to surface peening, modelling of, using eigenstrain distributions 817
  finite element analysis of the phase transformation effect in 151
rough contact problems, two-dimensional, numerical algorithm for the solution of 463

scanning electrom microscopy topography image correlation at large strain, microscopic strain mapping using 559
shaft couplings, complex, under non-symmetric loading, finite element modelling of 655
shallow cracks in smooth and notched plates, non-linear analysis of 237, 245
shear tension loading, spot-welded joints subjected to 739, 755
Simulation of strain gauge thermal effects during residual stress hole drilling measurements 611
solid discs under constant angular velocity, stress intensity factors for radial cracks in 217
spectrum loading, fatigue crack growth at stress concentrators under 117
spiral strands, end fixity of 129
Spot-welded joints subjected to shear-tension loading. Part 1: notch stress and strain range predictions and estimates for repeated loading 739
Spot-welded joints subjected to shear-tension loading. Part 2: mixed-mode fracture parameters 755
Strain analysis of a pretwisted elastic cylinder with an arbitrary cross-section 367
strain gauge:
  installations on low modulus materials, local reinforcement effect of 643
  thermal effects, simulation of 611
strain mapping, microscopic, using scanning electron microscopy topography 559
streamlined tubes with non-uniform wall thickness, mechanical analysis of, for heat exchangers 275
stress and strain distribution in a vehicle wheel, analysis of 513
Stress and temperature distribution at layer interface excited by pulsed laser heating 395
stress concentration factors, theoretical, for short flat tension bars with opposite U-shaped notches. 345
stress concentrators, fatigue crack growth at 117
stress field parameters, evaluation of, for an interface crack in a bimaterial 327
Stress intensity factors for radial cracks in annular and solid discs under constant angular velocity 217
stress intensity factors:
  factor for a semi-elliptical surface saddle crack 301
  of bimaterial joints, use of automated photoelasticity to determine 785
surface cracks, semi-elliptical, in finite thickness plates 403
surface flaws, growth of, in unalloyed uranium 139

tension bars, short flat, with opposite U-shaped notches 345
The acoustic emission technique in orthopaedics - a review 59
The application of asymptotic analysis for modes I and III semi-infinite wedge solutions to a circumferentially notched shaft 255
The pull-out method for on-site estimation of the elastic modulus of concrete 505
Theoretical stress concentration factors for short flat tension bars with opposite U-shaped notches 345
thermoplastoc composites, creep behaviour of adhesive lap joints in 287
thick-walled cylinder, general autofrettage model, based on tensile–compressive stress–strain or axisymmetric models 599
threaded connections, fatigue life improvement of, by cold rolling 83
Three-dimensional finite element analysis of a semi-elliptical circumferential surface crack in a carbon steel pipe subjected to a bending moment 525
Torque in mooring chain. Part 1: background and theory 703
Torque in mooring chain. Part 2: experimental investigation 715
traceable sensing, acoustic emission 17
T-stress for semi-elliptical surface cracks in finite thickness plates, weight functions for 403
tubular welded joint, semi-elliptical surface saddle crack in 301
two-dimensional rough contact problems, numerical algorithm for the solution of 463

Unalloyed uranium, growth of surface flaws in 139
Use of automated photoelasticity to determine stress intensity factors of bimaterial joints 785
Use of full field of strains found by grating shearography to determine residual stress 621
Use of life and strain fraction rules for creep life prediction of pressurized pipe components undergoing geometry change 385

vehicle wheel, stress and strain distrbution in 513

Weight function and stress intensity factor for a semi-elliptical surface saddle crack in a tubular welded joint 301
Weight functions for T-stress for semi-elliptical surface cracks in finite-thickness plates 403
welded structures, fatigue strength of 631
welding, multipass, finite element simulation of 587
welding distortion, out-of-plane 161

X-ray diffraction method for measuring residual stresses in shot-peened aluminium alloys 199

© IMechE 2005